CLAIMS

- 1 1. A method for image processing, comprising:
- 2 analyzing one or more images so as to determine a
- 3 respective classification for each of a multiplicity of
- 4 elements in the images, wherein the elements are not
- 5 individual characters in a language or numerical system;
- 6 displaying together for a human operator a plurality
- 7 of the elements that have the same classification and
- 8 were found at different locations in the one or more
- 9 images; and
- 10 receiving an input from the operator indicative of
- 11 whether the computer erred in the classification of any
- 12 of the displayed elements.
- 1 2. A method according to claim 1, wherein the elements
- 2 comprise pictures of three-dimensional image features.
- 1 3. A method according to claim 1, wherein the elements
- 2 comprise words of more than one character.
- 1 4. A method according to claim 1, wherein the elements
- 2 comprise non-alphanumeric symbols.
- 1 5. A method according to claim 1, wherein analyzing the
- 2 one or more images comprises carrying out a process of
- 3 automated image analysis using a computer.
- 1 6. A method according to claim 1, wherein displaying
- 2 the plurality of the elements comprises dividing the one
- 3 or more images into segments, such that one of the
- 4 plurality of the elements is contained in each of the
- 5 segments, and displaying the segments containing the
- 6 elements.

- 1 7. A method according to claim 6, wherein displaying
- 2 the segments comprises displaying the segments in a grid
- 3 pattern on a computer display.
- 1 8. A method according to claim 1, wherein displaying
- 2 the segments comprises displaying the segments on a
- 3 computer display, and wherein receiving the input
- 4 comprises sensing a selection of one of the plurality of
- 5 the elements on the computer display, wherein the
- 6 selection is made by the operator using a pointing device
- 7 associated with the computer.
- 1 9. A method according to claim 8, wherein the selection
- 2 of the one of the elements indicates that the
- 3 classification of the element is erroneous.
- 1 10. A method according to claim 9, and comprising
- 2 prompting the operator to correct the erroneous
- 3 classification.
- 1 11. Apparatus for image processing, comprising a
- 2 verification terminal, which is arranged to verify
- 3 results of analyzing one or more images so as to
- 4 determine a respective classification for each of a
- 5 multiplicity of elements in the images, wherein the
- 6 elements are not individual characters in a language or
- 7 numerical system, by displaying together for a human
- 8 operator a plurality of the elements that have the same
- 9 classification and were found at different locations in
- 10 the one or more images, and receiving an input from the
- 11 operator indicative of whether the computer erred in the
- 12 classification of any of the displayed elements.

- 1 12. Apparatus according to claim 11, wherein the
- 2 elements comprise pictures of three-dimensional image
- 3 features.
- 1 13. Apparatus according to claim 11, wherein the
- 2 elements comprise words of more than one character.
- 1 14. Apparatus according to claim 11, wherein the
- 2 elements comprise non-alphanumeric symbols.
- 1 15. Apparatus according to claim 11, wherein the one or
- 2 more images are analyzed by a process of automated image
- 3 analysis using a computer.
- 1 16. Apparatus according to claim 11, wherein the one or
- 2 more images are divided into segments, such that one of
- 3 the plurality of the elements is contained in each of the
- 4 segments, and wherein the terminal is arranged to display
- 5 the segments containing the elements.
- 1 17. Apparatus according to claim 16, and comprising a
- 2 display screen, which is driven by the terminal to
- 3 display the segments in a grid pattern.
- 1 18. Apparatus according to claim 11, and comprising a
- 2 display screen, which is driven by the terminal to
- 3 display the segments, and a pointing device, which is
- 4 coupled to the terminal so as to be used by the operator
- 5 to select one of the plurality of the elements on the
- 6 computer display.
- 1 19. Apparatus according to claim 18, wherein selection
- 2 of the one of the elements by the operator indicates that
- 3 the classification of the element is erroneous.

- 1 20. Apparatus according to claim 19, wherein the
- 2 terminal is arranged to prompt the operator to correct
- 3 the erroneous classification.
- 1 21. A computer software product, comprising
- 2 computer-readable medium in which program instructions
- 3 are stored, which instructions, when read by a computer,
- 4 cause the computer to verify results of analyzing one or
- 5 more images so as to determine a respective
- 6 classification for each of a multiplicity of elements in
- 7 the images, wherein the elements are not individual
- 8 characters in a language or numerical system, by
- 9 displaying together for a human operator a plurality of
- 10 the elements that have the same classification and were
- 11 found at different locations in the one or more images,
- 12 and receiving an input from the operator indicative of
- 13 whether the computer erred in the classification of any
- 14 of the displayed elements.
- 1 22. A product according to claim 21, wherein the
- 2 elements comprise pictures of three-dimensional image
 - 3 features.
- 1 23. A product according to claim 21, wherein the
- 2 elements comprise words of more than one character.
- 1 24. A product according to claim 21, wherein the
- 2 elements comprise non-alphanumeric symbols.
- 1 25. A product according to claim 21, wherein the one or
- 2 more images are analyzed by a process of automated image
- 3 analysis using an image processor.
- 1 26. A product according to claim 21, wherein the one or
- 2 more images are divided into segments, such that one of
- 3 the plurality of the elements is contained in each of the

3635851

- 4 segments, and wherein the instructions cause the computer
- 5 to display the segments containing the elements.
- 1 27. A product according to claim 26, wherein the
- 2 instructions cause the computer to display the segments
- 3 in a grid pattern.
- 1 28. A product according to claim 21, wherein the
- 2 instructions cause the computer to display the segments,
- 3 and to receive an input made by the operator using a
- 4 pointing device to select one of the plurality of the
- 5 elements on the computer display.
- 1 29. A product according to claim 28, wherein selection
- 2 of the one of the elements by the operator indicates that
- 3 the classification of the element is erroneous.
- 1 30. A product according to claim 29, wherein the
- 2 instructions cause the computer to prompt the operator to
- 3 correct the erroneous classification.